UMBROSA

MODEL




POSITIONS




COLORS





DIMENSIONS



ROUND SUPPORT








Geomet (corrosion protected) coated steel 8mm/0.3" Nylon 1mm/0.04"

	Α	В	C	D	E	F	G	
	mm/inch	mm/inch	mm/inch	mm/inch	mm/inch	mm/inch	mm/inch	
Round support	60/2.36"	60/2.36"	3/0.12"	215/8.5"	170/6.7"	11/0.43"	490/1′7.3″	

For non-permanent base options – see spec sheet Installation Options

MATERIALS



FABRIC

Limited – 100% Sunbrella –

Acryl 260 gr/m^{2*}

Premium – Olefine 190 gr/m²

More details – see spec sheet Fabrics

Confection Scheme:





RIBS

Glass Fiber Ø 6mm/0.23"



POLE

Aluminum

Naturally anodized

OTHER MATERIALS

Handle: Nylon + galvanised & powder coated

steel plate 6mm/0.23"

Hooks: Aluminum powder coated (as from 2017 - RAL 7047 TEC) Ring fixation: stainless steel 304

For projects – consult Umbrosa for powder coating finish options (RAL).

PACKAGING & TRANSPORT

Eclipsum	L (cm)	W (cm)	H (cm)	Weight (kg)	L (")	W (")	H (")	Weight (lbs)
Umbrella box	247	40	48	50	8'1"	1'3"	1'7"	121

NICE TO KNOW

- Spare parts available
- Designed and manufactured in Belgium
- Warranty between 15 and 2 years, see Warranty Sheet
- Manual included
- Storage bag included (PU coated fabric)
- Wind speeds up to 6 beaufort, 50 km/h, 31 mph when base is permanently fixed
- Tested at TU Delft

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. Of course we do our best to eliminate all mistakes, but Umbrosa is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

^{*} recommanded for use outside of Europe